
RIP Command Reference

Command Hierarchies

- Configuration Commands on page 281
 - Group Commands on page 282
 - Neighbor Commands on page 283
- RIPng Configuration Commands on page 284
 - Group Commands on page 285
 - Neighbor Commands on page 286
- Show RIP Commands on page 287
- Clear RIP Commands on page 287
- Debug RIP Commands on page 287

Configuration Commands

```

config
  — router router-name
    — [no] rip
      — authentication-key [authentication-key | hash-key] [hash | hash2]
      — no authentication-key
      — authentication-type {none | password | message-digest | message-digest-20}
      — no authentication-type
      — check-zero {enable | disable}
      — no check-zero
      — description string
      — no description
      — export policy-name [policy-name ...(up to 5 max)]
      — no export
      — export-limit number [log percentage]
      — no export-limit
      — import policy-name [policy-name ...(up to 5 max)]
      — no import
      — message-size max-num-of-routes
      — no message-size
      — metric-in metric
      — no metric-in
      — metric-out metric
      — no metric-out
      — preference preference
      — no preference
      — receive receive-type
      — no receive
      — send send-type
      — no send
      — [no] shutdown

```

Command Hierarchies

```
— split-horizon {enable | disable}
— no split-horizon
— timers update timeout flush
— no timers
```

Group Commands

```
config
— router router-name
— [no] rip
    — [no] group group-name
        — authentication-key [authentication-key | hash-key] [hash | hash2]
        — no authentication-key
        — authentication-type {none | password | message-digest |message-digest-20}
        — no authentication-type
        — check-zero {enable | disable}
        — no check-zero
        — description description-string
        — no description
        — export policy-name [policy-name ...(up to 5 max)]
        — no export
        — import policy-name [policy-name ...(up to 5 max)]
        — no import
        — message-size max-num-of-routes
        — no message-size
        — metric-in metric
        — no metric-in
        — metric-out metric
        — no metric-out
        — preference preference
        — no preference
        — receive receive-type
        — no receive
        — send send-type
        — no send
    — [no] shutdown
    — split-horizon {enable | disable}
    — no split-horizon
    — timers update timeout flush
    — no timers
```

Neighbor Commands

```

config
  — router router-name
    — [no] rip
      — [no] group group-name
        — [no] neighbor ip-int-name
          — authentication-key [authentication-key | hash-key] [hash | hash2]
          — no authentication-key
          — authentication-type {none | password | message-digest}
          — no authentication-type
          — check-zero {enable | disable}
          — no check-zero
          — description description-string
          — no description
          — export policy-name [policy-name ...(up to 5 max)]
          — no export
          — import policy-name [policy-name ...(up to 5 max)]
          — no import
          — message-size max-num-of-routes
          — no message-size
          — metric-in metric
          — no metric-in
          — metric-out metric
          — no metric-out
          — preference preference
          — no preference
          — receive receive-type
          — no receive
          — send send-type
          — no send
          — [no] shutdown
          — split-horizon {enable | disable}
          — no split-horizon
          — timers update timeout flush
          — no timers

```

RIPng Configuration Commands

```
config
  — router router-name
    — [no] ripng
      — check-zero {enable | disable}
      — no check-zero
      — description string
      — no description
      — export policy-name [policy-name ...(up to 5 max)]
      — no export
      — export-limit number [log percentage]
      — no export-limit
      — import policy-name [policy-name ...(up to 5 max)]
      — no import
      — message-size max-num-of-routes
      — no message-size
      — metric-in metric
      — no metric-in
      — metric-out metric
      — no metric-out
      — preference preference
      — no preference
      — receive receive-type
      — no receive
      — send send-type
      — no send
      — [no] shutdown
      — split-horizon {enable | disable}
      — no split-horizon
      — timers update timeout flush
      — no timers
```

Group Commands

```
config
  — router router-name
    — [no] ripng
      — [no] group group-name
        — check-zero {enable | disable}
        — no check-zero
        — description description-string
        — no description
        — export policy-name [policy-name ...(up to 5 max)]
        — no export
        — import policy-name [policy-name ...(up to 5 max)]
        — no import
        — message-size max-num-of-routes
        — no message-size
        — metric-in metric
        — no metric-in
        — metric-out metric
        — no metric-out
        — preference preference
        — no preference
        — receive receive-type
        — no receive
        — send send-type
        — no send
      — [no] shutdown
      — split-horizon {enable | disable}
      — no split-horizon
      — timers update timeout flush
      — no timers
```

Command Hierarchies

Neighbor Commands

```
config
  — router router-name
    — [no] ripng
      — [no] group group-name
        — [no] neighbor ip-int-name
          — check-zero {enable | disable}
          — no check-zero
          — description description-string
          — no description
          — export policy-name [policy-name ...(up to 5 max)]
          — no export
          — import policy-name [policy-name ...(up to 5 max)]
          — no import
          — message-size max-num-of-routes
          — no message-size
          — metric-in metric
          — no metric-in
          — metric-out metric
          — no metric-out
          — preference preference
          — no preference
          — receive receive-type
          — no receive
          — send send-type
          — no send
          — [no] shutdown
          — split-horizon {enable | disable}
          — no split-horizon
          — timers update timeout flush
          — no timers
          — [no] unicast-address ipv6-address
```

Show RIP Commands

```

show
  — router
    — rip
    — ripng
      — database [ip-prefix [/mask] [longer] [peer ip-address] [detail]]
      — group [name] [detail]
      — neighbors [ip-int-name | ip-addr] [detail] [advertised-routes]
      — peer [interface-name]
      — statistics [ip-int-name | ip-addr]

```

Clear RIP Commands

```

clear
  — router
    — rip
    — ripng
      — database
      — statistics [neighbor ip-int-name| ip-addrres]

```

Debug RIP Commands

```

debug
  — router
    — rip
      — [no] auth [neighbor ip-int-name| ip-addrres]
      — [no] error [neighbor ip-int-name| ip-addrres]
      — [no] events [neighbor ip-int-name| ip-addrres]
      — [no] holddown [neighbor ip-int-name| ip-addrres]
      — [no] packets [neighbor ip-int-name| ip-addrres]
      — [no] request [neighbor ip-int-name| ip-addrres]
      — [no] trigger [neighbor ip-int-name| ip-addrres]
      — [no] updates [neighbor ip-int-name| ip-addrres]

debug
  — router
    — ripng
      — [no] error [neighbor ip-int-name| ip-addrres]
      — [no] events [neighbor ip-int-name| ip-addrres]
      — [no] holddown [neighbor ip-int-name| ip-addrres]
      — [no] packets [neighbor ip-int-name| ip-addrres]
      — [no] request [neighbor ip-int-name| ip-addrres]
      — [no] trigger [neighbor ip-int-name| ip-addrres]
      — [no] updates [neighbor ip-int-name| ip-addrres]

```

Command Hierarchies