

Show Commands

policy

Syntax `policy [name | prefix-list name | admin]`

Context show>router

Description This command displays configured policy statement information.

Parameters **policy name** — Displays information similar to the info command for a specific policy-statement. If a *name* is provided, the matching policy-statement displays.
If no *statement* name is specified, a list of all policies statements and descriptions display.

prefix-list name — Displays the prefix lists configured in the route policy.

admin — If the keyword **admin** is included, the entire policy option configuration displays, including any un-committed configuration changes. This command is similar to the **info** command.

Output **Route Policy Output** — The following table describes route policy output fields.

Label	Description
Policy	Displays a list of route policy names.
Description	Displays the description of each route policy.
Policies	The total number of policies configured.

The following route policy commands are displayed with different command parameter options:

- [show router policy on page 951](#)
- [show router policy admin on page 952](#)
- [show router policy “BGP To RIP” on page 953](#)
- [show router policy damping on page 953](#)

Sample Output

The **show router policy** command displays all configured route policies.

```
A:ALA-1# show router policy
=====
Route Policies
=====
Policy                Description
-----
Direct And Aggregate  Policy Statement ABC
-----
Policies :
=====
```

Show Commands

```
A:ALA-1#
```

The **show router policy admin** command is similar to the **info** command which displays information about the route policies and parameters.

```
A:ALA-1# show router policy admin
  prefix-list "All-Routes"
    prefix 0.0.0.0/0 longer
    prefix 2.0.0.0/8 longer
    prefix 3.0.0.0/8 longer
    prefix 4.0.0.0/8 longer
    prefix 5.0.0.0/8 longer
    prefix 6.0.0.0/8 exact
    prefix 224.0.0.0/24 longer
  exit
  ...
A:ALA-1#
```

The **show router policy *name*** command displays information about a specific route policy.

show router policy "BGP To RIP"

```
description "Policy Statement For 'BGP To RIP'"
  entry 10
    description "Entry For Policy 'BGP To RIP'"
    from
      protocol bgp
    exit
    to
      protocol rip
    exit
    action accept
      metric set 1
      next-hop 10.0.18.200
      tag 805
    exit
  exit
  default-action reject
A:ALA-1#
```

The **show router policy damping** command displays information about the route policy damping configurations.

A:ALA-1# **show router policy damping**

```
=====
Route Damping Profiles
=====
damping "TEST-LOW"
  half-life 22
  max-suppress 720
  reuse 10000
  suppress 15000
exit
damping "TEST-HIGH"
  half-life 22
  max-suppress 720
  reuse 1000
  suppress 5000
exit
damping "TEST-MEDIUM"
  half-life 22
  max-suppress 720
  reuse 5000
  suppress 11000
exit
=====
A:ALA-1#
```

Show Commands

policy-test

Syntax `policy policy-name family family prefix prefix/pfxlen [longer] neighbor neighbor [display-rejects] [detail]`

Context show>router>bpg>routes

Description This command allows an operator to evaluate an existing policy against the RIB to identify what prefixes are matched/not matched by the policy prior to attaching it to a routing neighbor or instance. When a prefix is rejected, the entry ID that rejected it is displayed.

When the policy evaluation tool is applied to vpn-ipv4 or vpn-ipv6 family types, a warning will be displayed to the operator about the possibility of hidden routes. If the vrf-import policy that is being evaluated is attempting to import RTs that were never before imported on the node, the routes will not be displayed (accepted or rejected) because they are not available in the RTM until the vrf-import policy is activated. This is due to the architecture of SR-OS storing MP-BGP routes in the RTM.

Configuration of 'mp-bgp-keep' under the BGP hierarchy will no longer suppress these routes by default, at the cost of higher memory requirements to store all MP-BGP routes received from MP-BGP neighbors.

Parameters *policy name* — Specifies information of an existing configured and committed policy.

family — Specifies ipv4 or ipv6 information. Default is ipv4.

prefix — Specifies IPv4 or IPv6 prefix/mask to be evaluated. The longer keyword may be specified to evaluate longer prefix matches. (Optional)

neighbor — Specifies BGP neighbor (optional).

display-rejects — Displays routes that were rejected by the policy. If this is not specified, only a count of rejected routes is shown.

detail — Displays changes in the policy attributes. When the policy modifies route attributes, display the modifications made to the routes. This command requires an exact prefix to be specified. (Optional)

Sample Output

```
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 0.0.0.0/0
longer neighbor 220.0.0.2
```

```
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag Network                               LocalPref MED
      Nexthop                               Path-Id   VPNLabel
      As-Path
-----
Accepted by Policy
  4.0.0.6/32                               None     None
  220.0.0.2                                None     -
  14
```

```

=====
Total Routes : 17 Routes rejected : 16
=====

A:sim-1# show router bgp policy-test bgpprefix6 prefix 0.0.0.0/0 longer neighbor
220.0.0.2
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag Network
=====
Accepted by Policy
4.0.0.6/32
=====
Total Routes : 17 Routes rejected : 16
=====

A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 0.0.0.0/0
longer neighbor 220.0.0.2 display-rejects brief
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag Network
=====
Rejected by Default action
2.2.2.2/32
Rejected by Default action
4.0.0.1/32
Rejected by Default action
4.0.0.2/32
Rejected by Default action
4.0.0.3/32
Rejected by Default action
4.0.0.4/32
Rejected by Default action
4.0.0.5/32
Accepted by Policy
4.0.0.6/32
Rejected by Default action
6.0.0.1/32
Rejected by Default action
7.0.0.1/32
Rejected by Default action
10.0.4.0/24
Rejected by Default action
10.12.0.0/24
Rejected by Default action

```

Show Commands

```

    10.14.0.0/24
Rejected by Default action
    10.24.0.0/24
Rejected by Default action
    12.12.12.12/32
Rejected by Default action
    220.0.0.2/32
Rejected by Default action
    220.0.0.3/32
Rejected by Default action
    221.0.0.2/32
-----
Total Routes : 17 Routes rejected : 16
=====
A:sim-1# show router bgp policy-test bgpprefix6 prefix 0.0.0.0/0 longer neighbor
220.0.0.2 display-rejects
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag  Network                LocalPref  MED
      Nexthop              Path-Id    VPNLabel
      As-Path
-----
Rejected by Default action
    2.2.2.2/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action
    4.0.0.1/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action
    4.0.0.2/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action
    4.0.0.3/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action
    4.0.0.4/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action
    4.0.0.5/32                None      None
    220.0.0.2                None      -
    14
Accepted by Policy
    4.0.0.6/32                None      None
    220.0.0.2                None      -
    14
Rejected by Default action

```

```

6.0.0.1/32          None      None
  220.0.0.2        None      -
  14
Rejected by Default action
7.0.0.1/32          None      None
  220.0.0.2        None      -
  14
Rejected by Default action
10.0.4.0/24         None      None
  220.0.0.2        None      -
  14
Rejected by Default action
10.12.0.0/24        None      20
  220.0.0.2        None      -
  14
Rejected by Default action
10.14.0.0/24        None      None
  220.0.0.2        None      -
  14
Rejected by Default action
10.24.0.0/24        None      None
  220.0.0.2        None      -
  14
Rejected by Default action
12.12.12.12/32     None      20
  220.0.0.2        None      -
  14
Rejected by Default action
220.0.0.2/32        None      None
  220.0.0.2        None      -
  14
Rejected by Default action
220.0.0.3/32        None      10
  220.0.0.2        None      -
  14
Rejected by Default action
221.0.0.2/32        None      None
  220.0.0.2        None      -
  14

```

```
-----
Total Routes : 17 Routes rejected : 16
=====
```

```
A:sim-1# show router bgp policy-test bgpprefix6 prefix 4.0.0.1/32 detail neighbor
220.0.0.2 display-rejects
```

```
-----
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
```

```
Legend -
```

```
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
```

```
=====
BGP IPv4 Routes
=====
```

```
Rejected by Default action
Network      : 4.0.0.1/32
NextHop      : 220.0.0.2
Path Id      : None
From         : 220.0.0.2
```

Show Commands

```
Res. Nexthop      : 10.14.0.4
Local Pref.       : None
Aggregator AS    : None
Atomic Aggr.     : Not Atomic
AIGP Metric      : None
Connector        : None
Community        : target:65530:20
Cluster          : No Cluster Members
Originator Id    : None
Fwd Class        : None
Flags            :
Route Source     : External
AS-Path          : 14

Interface Name   : to-sim-6
Aggregator      : None
MED             : None

Peer Router Id  : 14.14.14.10
Priority         : None
```

```
-----
Total Routes : 1 Routes rejected : 1
=====
```

```
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.6/32
neighbor 220.0.0.2
```

```
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
```

```
Legend -
```

```
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes  : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
```

```
=====
BGP IPv4 Routes
=====
```

```
Accepted by Policy
```

```
-----
Original Attributes
```

```
Network          : 4.0.0.6/32
Nexthop          : 220.0.0.2
Path Id          : None
From             : 220.0.0.2
Res. Nexthop     : 10.14.0.4
Local Pref.      : n/a
Aggregator AS    : None
Atomic Aggr.    : Not Atomic
AIGP Metric      : None
Connector        : None
Community        : target:65530:20
Cluster          : No Cluster Members
Originator Id    : None
Fwd Class        : None
Flags            :
Route Source     : External
AS-Path          : 14

Interface Name   : to-sim-6
Aggregator      : None
MED             : None

Peer Router Id  : 14.14.14.10
Priority         : None
```

```
Modified Attributes
```

```
Network          : 4.0.0.6/32
Nexthop          : 220.0.0.2
Path Id          : None
From             : 220.0.0.2
Res. Nexthop     : 10.14.0.4
```



```

Local Pref.      : None                Interface Name : to-sim-6
Aggregator AS   : None                Aggregator    : None
Atomic Aggr.    : Not Atomic          MED           : None
AIGP Metric     : None
Connector       : None
Community       : 2:11 2:12 2:13 target:65530:20
Cluster         : No Cluster Members
Originator Id   : None                Peer Router Id : 14.14.14.10
Fwd Class       : None                Priority       : None
Flags           :
Route Source    : External
AS-Path         : 14

```

```

-----
Routes : 1
=====

```

```

A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.6/32
longer neighbor 220.0.0.2

```

```

-----
BGP Router ID:11.11.11.10      AS:11      Local AS:11
-----

```

```

Legend -

```

```

Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes  : i - IGP, e - EGP, ? - incomplete, > - best, b - backup

```

```

-----
BGP IPv4 Routes
-----

```

Flag	Network	LocalPref	MED
	Nexthop	Path-Id	VPNLabel
	As-Path		

```

-----
Accepted by Policy

```

4.0.0.6/32	None	None
220.0.0.2	None	-
14		

```

-----
Routes : 1
=====

```

```

A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.6/32
longer neighbor 220.0.0.2 detail

```

```

-----
BGP Router ID:11.11.11.10      AS:11      Local AS:11
-----

```

```

Legend -

```

```

Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes  : i - IGP, e - EGP, ? - incomplete, > - best, b - backup

```

```

-----
BGP IPv4 Routes
-----

```

```

Flag Network
-----

```

```

-----
Accepted by Policy

```

```

4.0.0.6/32
-----

```

```

Routes : 1

```

Show Commands

```
=====
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.0/24
longer neighbor 220.0.0.2 brief
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag Network
-----
Accepted by Policy
  4.0.0.6/32
-----
Total Routes : 6 Routes rejected : 5
=====
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.0/24
longer neighbor 220.0.0.2 display-rejects detail
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag Network
-----
Rejected by Default action
  4.0.0.1/32
Rejected by Default action
  4.0.0.2/32
Rejected by Default action
  4.0.0.3/32
Rejected by Default action
  4.0.0.4/32
Rejected by Default action
  4.0.0.5/32
Accepted by Policy
  4.0.0.6/32
-----
Total Routes : 6 Routes rejected : 5
=====
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.0/24
longer neighbor 220.0.0.2 display-rejects
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
```

```

BGP IPv4 Routes
=====
Flag  Network                               LocalPref  MED
      Nexthop                             Path-Id    VPNLabel
      As-Path
-----
Rejected by Default action
 4.0.0.1/32                               None       None
 220.0.0.2                                None       -
 14
Rejected by Default action
 4.0.0.2/32                               None       None
 220.0.0.2                                None       -
 14
Rejected by Default action
 4.0.0.3/32                               None       None
 220.0.0.2                                None       -
 14
Rejected by Default action
 4.0.0.4/32                               None       None
 220.0.0.2                                None       -
 14
Rejected by Default action
 4.0.0.5/32                               None       None
 220.0.0.2                                None       -
 14
Accepted by Policy
 4.0.0.6/32                               None       None
 220.0.0.2                                None       -
 14
-----
Total Routes : 6 Routes rejected : 5
=====
A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.0/24
longer neighbor 220.0.0.2 display-rejects brief
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====
BGP IPv4 Routes
=====
Flag  Network
-----
Rejected by Default action
 4.0.0.1/32
Rejected by Default action
 4.0.0.2/32
Rejected by Default action
 4.0.0.3/32
Rejected by Default action
 4.0.0.4/32
Rejected by Default action
 4.0.0.5/32
Accepted by Policy
 4.0.0.6/32

```

Show Commands

```
-----
Total Routes : 6 Routes rejected : 5
=====

A:sim-1# show router bgp policy-test bgpprefix6 family ipv4 prefix 4.0.0.0/24
longer neighbor 220.0.0.2
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====

BGP IPv4 Routes
=====
Flag Network                               LocalPref  MED
      Nexthop                             Path-Id    VPNLabel
      As-Path
-----
Accepted by Policy
  4.0.0.6/32                               None       None
  220.0.0.2                               None       -
  14
-----
Total Routes : 6 Routes rejected : 5

A:sim-1# show router bgp policy-test bgpprefix44rej family vpn-ipv4 prefix 0.0.0.0/0
longer neighbor display-rejects
=====
BGP Router ID:11.11.11.10      AS:11      Local AS:11
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
=====

BGP VPN-IPv4 Routes
=====
Flag Network                               LocalPref  MED
      Nexthop                             Path-Id    VPNLabel
      As-Path
-----
Accepted by Policy
  1:30:192.14.15.0/24                   None       None
  220.0.0.2                             None       131069
  14
Accepted by Policy
  65530:20:8.0.0.1/32                   None       None
  220.0.0.2                             None       131070
  14
Accepted by Policy
  65530:20:10.0.3.0/24                   None       None
  220.0.0.2                             None       131070
  14 101
Accepted by Policy
  65530:20:10.13.0.0/24                   None       None
```

Route Policies

220.0.0.2	None	131070
14 101		
Accepted by Policy		
65530:20:10.23.0.0/24	None	None
220.0.0.2	None	131070
14 101		
Accepted by Policy		
65530:20:13.13.13.13/32	None	None
220.0.0.2	None	131070
14 101		
Accepted by Policy		
65530:20:20.20.20.5/32	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:20.20.20.6/32	None	None
220.0.0.2	None	131070
14		
Rejected by Policy Entry = 10		
65530:20:44.44.44.0/24	None	None
220.0.0.2	None	131070
14 101		
Accepted by Policy		
65530:20:192.14.15.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.16.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.17.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.18.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.19.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.20.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.21.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.22.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		
65530:20:192.14.23.0/24	None	None
220.0.0.2	None	131070
14		
Accepted by Policy		

Show Commands

```

65530:20:192.14.25.0/24          None      None
  220.0.0.2                    None      131070
  14
Accepted by Policy
65530:20:196.34.0.0/24        None      None
  220.0.0.2                    None      131070
  14
Accepted by Policy
220.0.0.2:50:192.50.50.0/24  None      None
  220.0.0.2                    None      131067
  14
Accepted by Policy
220.0.0.2:50:220.0.0.2/32    None      None
  220.0.0.2                    None      131067
  14

```

```

-----
Total Routes : 22 Routes rejected : 1
=====

```

```
*A:Dut-C>config>router# show router bgp routes leakable
```

```

=====
BGP Router ID:10.20.1.3      AS:1      Local AS:1
=====

```

```
Legend -
```

```
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
               l - leaked
```

```
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup
```

```

=====
BGP IPv4 Routes
=====

```

Flag	Network NextHop (Router) As-Path	LocalPref Path-Id	MED Label
u*>i	9.9.9.9/32 1.3.5.5 3 6500	None None	None -
u*>i	10.10.10.10/32 1.3.5.5 3 6500	None None	None -
u*>i	10.20.1.5/32 1.3.5.5 3 6500	None None	None -
u*>i	11.11.11.11/32 1.3.5.5 3 6500	None None	None -
u*>i	12.12.12.12/32 1.3.5.5 3 6500	None None	None -
u*>i	13.13.13.13/32 10.20.1.4 10 6011	100 17	None -
u*>i	14.14.14.14/32 10.20.1.4 10 6012	100 14	None -
u*>i	15.15.15.15/32 10.20.1.4 10 6021	100 15	None -

```

u*>i 16.16.16.16/32          100      None
      10.20.1.4             16       -
      10 6022

```

```

-----
Routes : 9
=====

```

```

*A:Dut-C>config>router# show router bgp routes leaked

```

```

=====
BGP Router ID:10.20.1.3      AS:1      Local AS:1
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
              l - leaked
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup

```

```

=====
BGP IPv4 Routes
=====

```

Flag	Network Nexthop (Router) As-Path	LocalPref Path-Id	MED Label
u*>li	1.1.1.1/32 39.1.1.2 (VPRN 1) 3011	100 None	None -
u*>li	2.2.2.2/32 39.1.2.2 (VPRN 1) 3012	100 None	None -
u*>li	3.3.3.3/32 39.2.1.2 (VPRN 1) 3021	100 None	None -
u*>li	4.4.4.4/32 39.2.2.2 (VPRN 1) 3022	100 None	None -

```

-----
Routes : 4
=====

```

```

A:pe1# show router bgp routes vpn-ipv4 2.0.0.0/8 detail

```

```

=====
BGP Router ID:192.0.2.1      AS:65001      Local AS:65001
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best, b - backup

```

```

=====
BGP VPN-IPv4 Routes
=====

```

```

-----
Original Attributes

```

```

Network      : 2.0.0.0/8
Nexthop      : 192.0.2.2
Route Dist.  : 65001:2      VPN Label    : 262142
Path Id      : None
From         : 192.0.2.2

```

Show Commands

```
Res. Nexthop      : n/a
Local Pref.      : 100
Aggregator AS    : None
Atomic Aggr.     : Not Atomic
AIGP Metric      : None
Connector        : None
Community        : target:65001:1
Cluster          : No Cluster Members
Originator Id    : None
Fwd Class        : None
Flags            : Used Valid Best IGP
Route Source     : Internal
AS-Path          : No As-Path
Route Tag        : 0
Neighbor-AS      : N/A
Orig Validation:  N/A
Source Class     : 0
Add Paths Send   : Default
Last Modified    : 01h48m27s
VPRN Imported    : 1

Interface Name   : to_4008
Aggregator      : None
MED              : None

Peer Router Id   : 192.0.2.2
Priority         : None

Dest Class       : 0
```

Modified Attributes

```
Network          : 2.0.0.0/8
Nexthop          : 192.0.2.2
Route Dist.      : 65001:2
Path Id          : None
From             : 192.0.2.2
VPN Label        : 262142

Res. Nexthop     : n/a
Local Pref.     : 100
Aggregator AS   : None
Atomic Aggr.    : Not Atomic
AIGP Metric     : None
Connector       : None
Community       : target:65001:1
Cluster         : No Cluster Members
Originator Id   : None
Fwd Class       : None
Flags           : Used Valid Best IGP
Route Source    : Internal
AS-Path        : No As-Path
Route Tag       : 0
Neighbor-AS     : N/A
Orig Validation:  N/A
Source Class    : 0
Add Paths Send  : 3
Last Modified   : 01h49m47s
VPRN Imported   : 1

Interface Name   : to_4008
Aggregator      : None
MED              : None

Peer Router Id   : 192.0.2.2
Priority         : None

Dest Class       : 0
```